

## PARK-TARTALYOK

## Adapterek és tartozékok

2/2005

Art.No.	Típus		Leírás	
---------	-------	--	--------	--

### Connections; Adapter; Reducers

420 100	Adapter 6,0" - 2,0"	AA6020	6"Adapter with 2"-BSP -thread.,3-parts with 2 O-Ringen	
420 101	Spigot 2"	AA6001	Spigot Adapter AA 6020	
420 102	Lockscrew	AA6002	Locksrew for Adapter AA 6020	
420 103	Adapterconnection 6020	AA6003	Adapterconnection for Adapter AA 6020	
420 104	O-Ring -A 40	AA6004	O--Ring for Adapter AA 6020	
420 105	O-Ring -A 60	AA6005	O-Ring for Adapter AA 6020	

420 110	Adapter 6,0" - 3,0"	AA6030	6"Adapter mit 2,5"-NPT Anschlußgew.,3 teilig m. 2 O-Ringen	
420 111	Spigot 3"	AA6006	Mittelstück für Adapter AA 6030	

420 140	Reducer 4,5" to 1,5"	RA4515 K G2	Redu 4,5"thread to 1,5" glue con. outside; 2"BSP thread inside	
420 150	Reducer 4,5" to 2,0"	RA4520 K G2	Redu 4,5"thread to 2" glue con. outside; 2" BSP thread inside	
420 160	Reducer 4,5" to 2,0"	RA4520 T G2	Redu 4,5"thread to 2" BSP outside; 2" BSP thread inside	
420 161	Reducer 4,5" to 2,5"	RA4525	Redu 4,5"- 8UN thread to 2,5"-8UN thread	
420 162	Reducer 4,5" to 4,0"	RA4540	Redu 4,5"- 8UN thread to 4"-8UN thread	
420 163	Reducer 6,0" to 4,0"	RA6040	Redu 6"- 8UN thread to 4"-8UN thread	
420 164	Reducer 4,0" to 2,5"	RA4025	Redu 4"- 8UN thread to 2,5"-8UN thread	

420 170	Flange 6020	FL6020	6"-Flange with 2"-BSP-thread inside	
420 171	Flange 6020 + 4M	FL6025M	6" Flange w 2" BSP thread and 4 M12 threadinserts	
420 172	Flange 6030	FL6030	6"-Flange w. 3"-BSP thread inside	
420 173	Flange 6030 + 8M	FL6030M	6" Flange w 3" BSP thread and 8 M12 threadinserts	
420 174	Flange 6" to 1 1/2"	FL6015	6" Flange with 1 1/2"-BSP-thread innen	
420 175	Flange 6" to 20mm	FL6002	6" Flange with hole 20mm and support	
420 180	Connector 2" inside	USA 50	Connector 2" outside for side entry 2" NPT	
420 181	Connector 2" outside	USI 50	Connector 2" inside for side entry 2" NPT	
420 182	Connector 3" inside	USI 80	Connector 3" outside for side entry 3" NPT	
420 183	Connector 3" outside	USA 80	Connector 3" inside for side entry 3" NPT	
420 190	Screw Set	FL-SM	bolts, nuts, washers; made from stainless steel; 12 pieces	
420 191	Screw Set M16	FL-SM16	bolts,nuts,washers, steel galv., 4 pieces	
420 192	Flange DN 50	FL-50	Flange PVC DN 50	
420 193	Flange DN 80	FL-80	Flange PVC DN 80	
420 194	Unionsocket DN 50	FL-BB 50	Unionsocket DN 50, PVC with seal, EPDM	
420 195	Unionsocket DN 80	FL-BB 80	Unionsocket DN 80, PVC with seal, EPDM	
420 196	Flange 6" auf 1 1/2" "	FL6015	6" -Flange with 1 1/2"-BSP inside thread	

### Filternozzles; Hubs & Hubfittings

420 210	2"- Filternozzle Hub	HU20-6	Installationart A , for 6 Filternozzles, Connect. 2 " BSP	
420 211	2"- Filternozzle Hub	HB20-6	Installationart B, for 6 Filternozzles, Connect. 2 " BSP	
420 220	3"- Filternozzle Hub	HA30-8	Installationart A , for 8 Filternozzles, Connect. 3 " BSP	
420 221	3"- Filternozzle Hub	HB30-8	Installationart B, for 8 Filternozzles, Connect. 3 " BSP	
420 222	3"- Filternozzle Hub with Ext.	HB30-8 VL	for installation of HB30-8 in AA 6030 with Extension	
420 223	Outletnozzlering	AR2-02	Schlitzweite 0,2 mm, für 2" - Durchmesser	
420 224	Outletnozzlenut	ARM2	for fixing of AR2-02 on 2" Gewinde	
420 225	Hub - Adapter AM 2"	AM2	to connect HB20-6 on riser pipe, glue connection	
420 226	Hub - Adapter AM 3"	AM3	to connect HB20-8 on riser pipe, glue connection	
420 227	Extension AV 1 - 2"	AV1- 2	to connect HB20-6 to adapter AA 6020	
420 228	Extension AV 2 - 2"	AV2 - 2	to connect HB20-6 to flange FL 6020	

**PARK-TARTALYOK Adapterek és tartozékok 2/2005**

Art.No.	Típus		Leírás	
---------	-------	--	--------	--

420 212	Filternozzle FD 16	FD 16	Length 133 mm for tank RT 16xx	
420 213	Filternozzle FD 20	FD20	Length 144 mm for tank RT 20xx	
420 214	Filternozzle FD 22	FD 22	Length 175 mm for tank RT 22xx	
420 215	Filternozzle FD 24	FD 24	Length 206 mm for tank RT 24xx	
420 216	Filternozzle FD 30	FD 30	Length 268 mm for tank RT 30xx	
420 217	Filternozzle FD 36	FD 36	Length 361 mm for tank RT 36xx	
420 218	Filternozzle FD 42	FD 42	Length 392 mm for tank RT 42xx	
420 219	Filternozzle FD 48	FD 48	Length 485 mm for tank RT 48xx	

420 742	Adapter 2,5"with top nozzle Düs	AAD 25	for VS 2,5" for opening 2,5" with fill opening	
420 755	Bottom Nozzle	DÜ25	for VS 2,5"	
	Material			
420 920	Riserpipe 1/2" - 240	STR 12	240	for RT xx12
420 921	Riserpipe 1/2" - 385	STR 18	385	for RT xx18
420 922	Riserpipe 1/2" - 490	STR 22	490	for RT xx22
420 923	Riserpipe 1/2" - 550	STR 24	550	for RT xx24
420 924	Riserpipe 1/2" - 690	STR 30	690	for RT xx30
420 925	Riserpipe 1/2" - 810	STR 35	810	for RT xx35
420 926	Riserpipe 1/2" - 840	STR 36	840	for RT xx36
420 927	Riserpipe 1/2" - 940	STR 40	940	for RT xx40
420 928	Riserpipe 1/2" - 990	STR 42	990	for RT xx42
420 929	Riserpipe 1/2" - 1115	STR 47	1115	for RT xx47
420 930	Riserpipe 1/2" - 1140	STR 48	1140	for RT xx48
420 931	Riserpipe 1/2" - 1240	STR 52	1240	for RT xx52
420 932	Riserpipe 1/2" - 1290	STR 54	1290	for RT xx54

420 935	Riserpipe DN 50 2000 mm	STR 5020	2000	
420 936	Riserpipe DN 50 2000 mm	STR 8020	2000	

420 937	90° Connectingbow DN 50	AB 20	glueconnection D 63 for AA 6020 executed as 90° bow	
420 938	90° Connectingbow DN 80	AB 30	glueconnection D 90 for AA 6030 executed as 90° bow	
420 939	Flangeconnection 3"-DN100	AN 2	DN 100 Flangeconnection with inside 3" NPT thread	
420 940	Flange DN100	AN 3	DN 100 Flange without seal and srews	
420 941	Threadnippel 2"	AN 20	Doublenippel 2" BSP Thread	

420 376	Adapterhead compl.	AKD 25	Anschluß / Connection 3/4" BSP incl. Glueadapter	
420 377	Glueadapter	AKD-25 KA	13/16" / 20,64mm für Steigrohr / Riser 13 / 16" - 20,64mm	
420 378	Distributornozzle	AKD-25 VD	13/16" / 20,64mm - Schlitzweite./ Slitwidth 0,2 mm	
420 379	Assemblywrench	AKD-25 KA		

420 380	Adapterhead-Quick	AKDQ-25	Anschl. / Con. 3/4" Schlauch / Hose ( Pos. 5, 6, 7 + 8 )	
420 381	Fixingclip - Quick	AKDQ-25 CL		
420 382	Bowconnection	AKDQ-25 BO	Connection 3/4" Schlauch / Hose	
420 383	Transportplug	AKDQ-25-TV		

**INLETNOZZLES & INLETBUFFLES**

420 231	Inletnozzle 1" - 1	DÜU 1-1	Inletnozzle 1" - conn., 40 mm long	
420 232	Inletnozzle 1" - 2	DÜU 1-2	Inletnozzle 1" - conn, 80 mm long	
420 233	Inletnozzle 1"	DÜO 1	Inletnozzle 1" - conn,diameter. 36 mm	
420 234	Inletnozzle short 2"	ED2-73-02	slitwidth 0,2mm = 02; 0,5mm = 05, 73mm long, 2" BSP Conn.	
420 235	Inletnozzle medium 2"	ED2-126-02	slitwidth 0,2mm = 02; 0,5mm = 05, 126mm long, 2" BSP Conn.	
420 236	Inletnozzle long 2"	ED2-180-02	slitwidth 0,2mm = 02; 0,5mm = 05, 180mm long, 2" BSP Conn.	

## PARK-TARTALYOK

## Adapterek és tartozékok

2/2005

Art.No.	Típus		Leírás	
420 237	Inlet-Buffle short 73 mm	IB2-73	Inlet-Buffle 73 mm lang	
420 238	Inlet-Buffle medium 126 mm	IB2-126	Inlet-Buffle 126 mm lang	
420 239	Inlet-Buffle long 180 mm	IB2-170	Inlet-Buffle 180 mm lang	
420 240	Inletnozzle long 3"	ED3-260-02	Slitwidth 0,2mm = 02; 260 mm long, 3" BSP-connection	
420 241	Aerationvalve 1 1/2"	BL 15	Slitwidth 0,25mm; 205 mm long, 1 1/2" BSP-connection	

### CLOSURES & ADAPTER with NOZZLES

420 508	Closures 3/4"	TC 07	for tankopening 3/4" - thread	
420 509	Closures 1,0"	TC 10	for tankopening 1,0" - thread	
420 510	Closures 2,5"	TC 25	for tank opening 2,5"	
420 520	Closures 2,5" w. middle hole	TC 25 L	for tank opening 2,5", with hole D 20mm	
420 530	Closures 4"	TC 40	for tank opening 4"	
420 540	Closures 4,5"	TC 45	for tank opening 4,5"	
420 540	Closures 6"	TC 60	for tank opening 6"	
420 550	Closures 6" Flange	TC 60 - FL	for tank opening 6" flange	
420 670	Adapter 4,5" with 1 "nozzle	TAS 4515 S	for tank opening 4,5" on gluecon. D 50, slitwidth 0,5 mm	
420 671	Adapter 4,5" w. doublenoz.	TASS 4515 S	for tank opening 4,5" on gluecon. D 50, slitwidth 0,5 mm	
420 672	Adapter 4,5" with 1 "nozzle	TAS 4520 S	for tank opening 4,5" w. 2" BSP connection, slitwidth 0,5 mm	
420 673	Adapter 4,5" w. doublenoz.	TASS 4520 S	for tank opening 4,5" w. 2" BSP connection, slitwidth 0,5 mm	
420 745	Adapter 4,5" with 2 ports	XTA - 45 - 2	adapter for 4,5" opening with 2 1" thread opening	
420 746	Adapter 4,5" with 3 ports	XTA - 45 - 3	adapter for 4,5" opening with 3 1" thread opening	
420 747	Adapter 4,5" 2 ports+fillcup	XTA - 45 - 3 - 1	adapter for 4,5" opening with 3 1" thread opening + fill cup	

### O - RINGS

420 731	O-Ring 2,5"	OR 25 - O	for 2,5" adapter ovalform	
420 732	O-Ring 2,5"	OR 25 G	for 2,5" adapter	
420 733	O-Ring 4,0"	OR 40	for 4" adapter	
420 734	O-Ring 4,5"	OR 45 - G	for 4,5" adapter	
420 735	O-Ring 6,0"	OR 60	for 6" adapter	
420 736	O-Ring 1,5"	OR 15	for 1,5" connection	

### TOOLS

420 830	Wrap-Key	LWH		
420 835	Turnout Key 4,5"	LW 45		
420 840	Turnout Key 6"	LW 60		

### Quick - Connections

420 740	Quick-Hoseconnection	UHB 75	3/4 "	
420 741	Quick-Threadconnection	MA 75	3/4" - male	
420 742	Quick-Threadconnection	UMA 75	3/4"	
420 743	Quick-Hoseconnection	HB-75	3/4" - male	
420 744	Quick-Hoseconnection	UHB 100	1 "	
420 745	Quick-Threadconnection	MA 100	1" - male	
420 746	Quick-Threadconnection	UMA 100	1"	
420 747	Quick-Hoseconnection	HB 100	1" - male	
420 748	Quick-Plug	P-UN		
420 749	Quick-Threadconnection	C-MA		